

SAFETY DATA SHEET

1. Identification		
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Product identifier	HP LaserJet CF259A-X-XC Print Cartridge	
Other means of identification	None.	
Recommended use	This product is a toner preparation that is used in HP LaserJet Pro M404d,M404n,M404dn,M404dw,M405n,M405d,M405dn,M405dw,M304a,M305d,M305dn,MFP M329dn,MFP M329dw series printers.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
	HP Inc.	
	1501 Page Mill Road	
	Palo Alto, CA 94304-1112	
	United States	
Telephone	650-857-5020	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care		
(Toll-free within the US)	1-800-474-6836	
(Direct) Email:	1-208-323-2551 hpcustomer.inquiries@hp.com	
2. Hazard(s) identification	n	
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	Not available.	
Precautionary statement		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.	
GHS Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<50

Chemical name	Common name and synonyms	CAS number	%	
Iron oxide		1317-61-9	<45	
Wax	Wax	Proprietary	<15	
Amorphous silica	Amorphous silica	7631-86-9	<2	
4. First-aid measures				
Inhalation	Move person to fresh air immediately. If irrita	ation persists, consult a physiciar	۱.	
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.			
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.			
Ingestion	Rinse mouth out with water. Drink one to two physician.	o glasses of water. If symptoms of	occur, consult a	
Most important symptoms/effects, acute and delayed	Not available.			
5. Fire-fighting measures				
Suitable extinguishing media	CO2, water, or dry chemical			
Unsuitable extinguishing media	None known.			
Specific hazards arising from the chemical	Like most organic material in powder form, to dispersed in air.	oner can form explosive dust-air	mixtures when finely	
Special protective equipment and precautions for firefighters	Not available.			
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.			
Specific methods	None established.			
6. Accidental release mea	sures			
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.			
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.			
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.			
7. Handling and storage				
Precautions for safe handling	Keep out of the reach of children. Avoid inha adequate ventilation. Keep away from exces			
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Stor away from strong oxidizers.			
8. Exposure controls/pers	onal protection			
Occupational exposure limits				
US. NIOSH: Pocket Guide to Components	Chemical Hazards Type	Value		
Amorphous silica (CAS 7631-86-9)	TWA 6 mg/m3			
Biological limit values	No biological exposure limits noted for the in	gredient(s).		

Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures	s, such as personal protective equipment
Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
9. Physical and chemica	l properties
Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Slight plastic odor
Odor threshold	Not available.

Negligible in water. Partially soluble in toluene and xylene.

Not applicable

Not available.

Not applicable

Not applicable

Not applicable

Not available.

Not available.

Not available.

Not available. Not available.

Not applicable

Not applicable

Not available.

Not available

Not applicable

Negligible

1.4 - 1.8

> 392 °F (> 200 °C)

No information available.

194 - 284 °F (90 - 140 °C)

pН

range

Flash point Evaporation rate

(%)

(%)

Vapor pressure

Vapor density

Solubility(ies)

(n-octanol/water)

Other information

Viscosity

Solubility (water) Partition coefficient

Auto-ignition temperature

Decomposition temperature

Oxidizing properties

Percent volatile

Softening point

Specific gravity

Melting point/freezing point

Flammability (solid, gas)

Initial boiling point and boiling

Flammability limit - lower

Flammability limit - upper

Explosive limit - lower (%)

Explosive limit - upper (%)

Upper/lower flammability or explosive limits

voc Not applicable 10. Stability and reactivity Reactivity Not available. **Chemical stability** Stable under normal storage conditions. Possibility of hazardous Will not occur. reactions Conditions to avoid Imaging Drum: Exposure to light Strong oxidizers Incompatible materials Hazardous decomposition Carbon monoxide and carbon dioxide. products

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of inter	nded use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.	
Eye contact	Contact with eyes may result in	mild irritation.
Ingestion	Ingestion is not a likely route of	exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.	
Information on toxicological ef	fects	
Acute toxicity	Based on available data, the classification criteria are not met.	
Product	Species Test Results	
CF259A-X-XC		
Acute		
LD50		> 2000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitization	'n	
Respiratory sensitization	Based on available data, the cla	ssification criteria are not met.

Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
IARC Monographs. Overall E	Evaluation of Carcinogenicity
Not listed.	
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1050)
Not regulated.	
US. National Toxicology Pro	gram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Eurther information	Complete toxicity data are not available for this apositic formulation

Further informationComplete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity

LL50: > 1000 mg/l, Fish, 96.00 Hours

Product		Species	Test Results
CF259A-X-XC			
Aquatic			
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours
Fish	LL50	Fish	> 1000 mg/l, 96 Hours
ersistence and degradability	Not available.		
ioaccumulative potential	Not available.		
obility in soil	Not available.		
ther adverse effects	Not available.		

13. Disposal considerations

Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.


HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

ΙΑΤΑ

UN number UN proper shipping name Transport hazard class(es)	UN2807 Magnetized material
Class	9
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No.
Special precautions for user	Not available.
IATA Supplemental Information	27 or more of these products shipped together, by air, are regulated as magnetized material

ΙΑΤΑ



Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Re Hazard categories	Reauthorization Act of 1986 (SARA) Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazard Not listed.	lous substance	
SARA 311/312 Hazardous chemical	No	
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	Not applicable.	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
16. Other information, inc	luding date of preparation or last revision	
Issue date	07-Jun-2019	
Version #	01	
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.	

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds